

# Projektowanie obiektowe oprogramowania

## Wzorce architektury aplikacji (2)


### Wykład 11 – MVC/MVP

#### Wiktor Zychla 2013

---

## 1 Architektura aplikacji

### 1.1 Diagram referencyjny architektury aplikacji



### 1.2 Rodzaje aplikacji

Application type	Description
<i>Mobile Application</i>	<ul style="list-style-type: none"> <li>• Can be developed as a Web application or a rich client application.</li> <li>• Can support occasionally connected scenarios.</li> <li>• Runs on devices with limited hardware resources.</li> </ul>
<i>Rich Client</i>	<ul style="list-style-type: none"> <li>• Usually developed as a stand-alone application.</li> </ul>

<i>Application</i>	<ul style="list-style-type: none"> <li>• Can support disconnected or occasionally connected scenarios.</li> <li>• Uses the processing and storage resources of the local machine.</li> </ul>
<i>Rich Internet Application</i>	<ul style="list-style-type: none"> <li>• Can support multiple platforms and browsers.</li> <li>• Can be deployed over the Internet.</li> <li>• Designed for rich media and graphical content.</li> <li>• Runs in the browser sandbox for maximum security.</li> <li>• Can use the processing and storage resources of the local machine.</li> </ul>
<i>Service Application</i>	<ul style="list-style-type: none"> <li>• Designed to support loose coupling between distributed components.</li> <li>• Service operations are called using XML-based messages.</li> <li>• Can be accessed from the local machine or remotely, depending on the transport protocol.</li> </ul>
<i>Web Application</i>	<ul style="list-style-type: none"> <li>• Can support multiple platforms and browsers.</li> <li>• Supports only connected scenarios.</li> <li>• Uses the processing and storage resources of the server.</li> </ul>

### 1.3 Typy architektury aplikacji

<b>Architecture style</b>	<b>Description</b>
<i>Client-Server</i>	Segregates the system into two computer programs where one program, the client, makes a service request to another program, the server.
<i>Component-Based Architecture</i>	Decomposes application design into reusable functional or logical components that are location-transparent and expose well-defined communication interfaces.
<i>Layered Architecture</i>	Partitions the concerns of the application into stacked groups (layers).
<i>Message-Bus</i>	A software system that can receive and send messages that are based on a set of known formats, so that systems can communicate with each other without needing to know the actual recipient.
<i>Model-View-Controller (MVC)</i>	Separates the logic for managing user interaction from the UI view and from the data with which the user works.
<i>N-tier / 3-tier</i>	Segregates functionality into separate segments in much the same way as the layered style, but with each segment being a tier located on a physically separate computer.
<i>Service-Oriented Architecture (SOA)</i>	Refers to applications that expose and consume functionality as a service using contracts and messages.

### 1.4 Kryteria ewaluacji architektury aplikacji

<b>Category</b>	<b>Description</b>
<i>Availability</i>	Availability defines the proportion of time that the system is functional and working. It can be measured as a percentage of the total system downtime over a predefined period. Availability will be affected by system errors, infrastructure problems, malicious attacks, and system load.
<i>Conceptual Integrity</i>	Conceptual integrity defines the consistency and coherence of the overall design. This includes the way that components or modules are designed, as well as factors such as coding style and variable naming.
<i>Flexibility</i>	Flexibility is the ability of a system to adapt to varying environments and situations, and to cope with changes to business policies and rules. A flexible system is one that is easy

	to reconfigure or adapt in response to different user and system requirements.
<i>Interoperability</i>	Interoperability is the ability of diverse components of a system or different systems to operate successfully by exchanging information, often by using services. An interoperable system makes it easier to exchange and reuse information internally as well as externally.
<i>Maintainability</i>	Maintainability is the ability of a system to undergo changes to its components, services, features, and interfaces as may be required when adding or changing the functionality, fixing errors, and meeting new business requirements.
<i>Manageability</i>	Manageability defines how easy it is to manage the application, usually through sufficient and useful instrumentation exposed for use in monitoring systems and for debugging and performance tuning.
<i>Performance</i>	Performance is an indication of the responsiveness of a system to execute any action within a given interval of time. It can be measured in terms of latency or throughput. <i>Latency</i> is the time taken to respond to any event. <i>Throughput</i> is the number of events that take place within given amount of time.
<i>Reliability</i>	Reliability is the ability of a system to remain operational over time. Reliability is measured as the probability that a system will not fail to perform its intended functions over a specified interval of time.
<i>Reusability</i>	Reusability defines the capability for components and subsystems to be suitable for use in other applications and in other scenarios. Reusability minimizes the duplication of components and also the implementation time.
<i>Scalability</i>	Scalability is the ability of a system to function well when there are changes to the load or demand. Typically, the system will be able to be extended by scaling up the performance of the server, or by scaling out to multiple servers as demand and load increase.
<i>Security</i>	Security defines the ways that a system is protected from disclosure or loss of information, and the possibility of a successful malicious attack. A secure system aims to protect assets and prevent unauthorized modification of information.
<i>Supportability</i>	Supportability defines how easy it is for operators, developers, and users to understand and use the application, and how easy it is to resolve errors when the system fails to work correctly.
<i>Testability</i>	Testability is a measure of how easy it is to create test criteria for the system and its components, and to execute these tests in order to determine if the criteria are met. Good testability makes it more likely that faults in a system can be isolated in a timely and effective manner.
<i>Usability</i>	Usability defines how well the application meets the requirements of the user and consumer by being intuitive, easy to localize and globalize, able to provide good access for disabled users, and able to provide a good overall user experience.

## 1.5 Kluczowe decyzje projektowe

Category	Key problems
<i>Authentication and Authorization</i>	<ul style="list-style-type: none"> <li>• How to store user identities</li> <li>• How to authenticate callers</li> </ul>

	<ul style="list-style-type: none"> <li>• How to authorize callers</li> <li>• How to flow identity across layers and tiers</li> </ul>
<i>Caching and State</i>	<ul style="list-style-type: none"> <li>• How to choose effective caching strategies</li> <li>• How to improve performance by using caching</li> <li>• How to improve availability by using caching</li> <li>• How to keep cached data up to date</li> <li>• How to determine the data to cache</li> <li>• How to determine where to cache the data</li> <li>• How to determine an expiration policy and scavenging mechanism</li> <li>• How to load the cache data</li> <li>• How to synchronize caches across a Web or application farm</li> </ul>
<i>Communication</i>	<ul style="list-style-type: none"> <li>• How to communicate between layers and tiers</li> <li>• How to perform asynchronous communication</li> <li>• How to communicate sensitive data</li> </ul>
<i>Composition</i>	<ul style="list-style-type: none"> <li>• How to design for composition</li> <li>• How to design loose coupling between modules</li> <li>• How to handle dependencies in a loosely coupled way</li> </ul>
<i>Concurrency and Transactions</i>	<ul style="list-style-type: none"> <li>• How to handle concurrency between threads</li> <li>• How to choose between optimistic and pessimistic concurrency</li> <li>• How to handle distributed transactions</li> <li>• How to handle long-running transactions</li> <li>• How to determine appropriate transaction isolation levels</li> <li>• How to determine whether compensating transactions are required</li> </ul>
<i>Configuration Management</i>	<ul style="list-style-type: none"> <li>• How to determine the information that must be configurable</li> <li>• How to determine location and techniques for storing configuration information</li> <li>• How to handle sensitive configuration information</li> <li>• How to handle configuration information in a farm or cluster</li> </ul>
<i>Coupling and Cohesion</i>	<ul style="list-style-type: none"> <li>• How to separate concerns</li> <li>• How to structure the application</li> <li>• How to choose an appropriate layering strategy</li> <li>• How to establish boundaries</li> </ul>
<i>Data Access</i>	<ul style="list-style-type: none"> <li>• How to manage database connections</li> <li>• How to handle exceptions</li> <li>• How to improve performance</li> <li>• How to improve manageability</li> <li>• How to handle binary large objects (BLOBs)</li> <li>• How to page records</li> <li>• How to perform transactions</li> </ul>
<i>Exception Management</i>	<ul style="list-style-type: none"> <li>• How to handle exceptions</li> <li>• How to log exceptions</li> </ul>
<i>Logging and Instrumentation</i>	<ul style="list-style-type: none"> <li>• How to determine the information to log</li> <li>• How to make logging configurable</li> </ul>
<i>User Experience</i>	<ul style="list-style-type: none"> <li>• How to improve task efficiency and effectiveness</li> <li>• How to improve responsiveness</li> <li>• How to improve user empowerment</li> <li>• How to improve the look and feel</li> </ul>
<i>Validation</i>	<ul style="list-style-type: none"> <li>• How to determine location and techniques for validation</li> </ul>

	<ul style="list-style-type: none"> <li>• How to validate for length, range, format, and type</li> <li>• How to constrain and reject input</li> <li>• How to sanitize output</li> </ul>
<i>Workflow</i>	<ul style="list-style-type: none"> <li>• How to handle concurrency issues within a workflow</li> <li>• How to handle task failure within a workflow</li> <li>• How to orchestrate processes within a workflow</li> </ul>


## 2 Przykład dobrej architektury aplikacji

### 2.1 Model-View-Controller vs Model-View-Presenter

Oba wzorce mają na celu zapewnienie możliwości łatwiejszego utrzymania kodu oraz podniesienie wiarygodności – osiągają to **oddzielając** logikę przetwarzania od logiki prezentacji. Dzięki lepszej izolacji, możliwe jest **testowanie** obu warstw niezależnie.


#### 2.1.1 Model-View-Controller

- zarezerwowany dla **aplikacji web**
- Interakcja użytkownika Controller → Model + View
- Kontroler obsługuje logikę akcji użytkownika; kontroler jest sterowany przez środowisko uruchomieniowe (tu: serwer aplikacji)
- Kontroler na podstawie akcji użytkownika wybiera widok do wyrenderowania (jeden kontroler może obsługiwać wiele widoków) i do widoku przekazuje model



#### 2.1.2 Model-View-Presenter

- Dla aplikacji **RCA** (Rich Client Application)
- Interakcja View ↔ Presenter → model
- Widok i prezenter są połączone 1-1
- Logikę obsługuje prezenter, to on rejestruje się na powiadomienia, tworzy model
- Widok jest wstrzykiwany do prezentera przez interfejs – głównym celem takiego podejścia jest zapewnienie możliwości wstrzykiwania do prezentera innych implementacji widoków (takich które nadają się do testowania bo nie wymagają interakcji użytkownika)



## 2.2 Repository

- Strategy na warstwie dostępu do danych

## 2.3 Przykład na żywo

Repozytorium użytkowników – Windows.Forms, Linq2SQL.

Refaktoryzacja do IoC.

Refaktoryzacja – wprowadzenie EventAggregator.

Refaktoryzacja warstwy dostępu do danych do wzorca Repository.

Refaktoryzacja warstwy interfejsu użytkownika do wzorca Model-View-Presenter.

Testy jednostkowe.

## 3 Literatura

Microsoft Patterns & Practices – Application Architecture Guide